



Glo-Ray® Designer Dual Infrared Aluminium Strip Heaters with Lights

Models:

GR2AL -18D, -24D, -30D, -36D, -42D, -48D, -54D, -60D, -66D, -72D, -84D

GR2AHL-18D, -24D, -30D, -36D, -42D, -48D, -54D, -60D, -66D, -72D, -84D

Glo-Ray® Designer Aluminum Dual Infrared Strip Heaters allow side-by-side mounting of two warmers to provide a deeper holding area, keeping hot food at optimum serving temperatures. The lights illuminate and complement food perfectly. These modern front-of-the-house warmers have 3" spacers Standard with optional 6" spacers. Units are available in *Designer* colors to match most décors.


Standard features

- Pre-focused heat maintains safe serving temperatures longer without continuing to cook the food
- Sturdy continuous aluminum housings eliminate sagging
- Widths from 21.5" to 87.5" (546 X 2223 mm)
- 14" (356 mm) *Designer* non-adjustable Stands Standard
- Available in a variety of models, configurations, colors and accessories to provide unlimited flexibility
- Designer colors and inset panels allow the unit to match surrounding décor†
- Black corner caps and inset panels standard
- Standard coated shatter-resistant incandescent or optional halogen lights enhance product displays while safeguarding food from bulb breakage
- Optional sneeze guards
- Remote control installation is required - must chose RMB
- Additional reflector styles and lower wattage elements available, consult factory for more information

Project _____

Item # _____

Quantity _____



GR2AHL-36D with optional overhead mounts and optional Designer color Inset Panels (black Corner Caps Standard)

GR2AL-48D with Standard Designer non-adjustable stands and optional Designer color Inset Panels (black Corner Caps Standard)

Options (available at time of purchase only)

Housing

- ☐ 15" (381 mm) ☐ 18" (457 mm)

Designer Color for Housing- Aluminum finish standard†

- ☐ Warm Red ☐ Black ☐ Gray Granite ☐ White Granite
☐ Navy Blue ☐ Hunter Green ☐ Antique Copper

Inset Panel *Designer* color - Black standard†

- ☐ Warm Red ☐ Black ☐ Gray Granite ☐ White Granite
☐ Navy Blue ☐ Hunter Green ☐ Antique Copper

Corner Caps *Designer* color, Black standard†

- ☐ Black ☐ Dark Gray

☐ No Control - requires selection of RMB2-xx control

Remote Box, *Designer* color - Aluminum finish Standard†

- ☐ Warm Red ☐ Black ☐ Gray Granite ☐ White Granite
☐ Navy Blue ☐ Hunter Green ☐ Antique Copper

Sneeze Guards

- ☐ 7.5" (191 mm) - One Side ☐ 7.5" (191 mm) - Two Sides
☐ 14" (356 mm) - One Side ☐ 14" (356 mm) - Two Sides

Designer Non-Adjustable Stands - 14" (356 mm) *Designer Stand* standard

- ☐ 10" (254 mm) ☐ 12" (305 mm) ☐ 16" (406 mm)

Designer Color - Aluminum finish standard†

- ☐ Warm Red ☐ Black ☐ Gray Granite ☐ White Granite
☐ Navy Blue ☐ Hunter Green ☐ Antique Copper

☐ Overhead Mounts 4" (102 mm) in lieu of 14" (356 mm) standard Stands

Designer Color - Aluminum finish standard†

- ☐ Warm Red ☐ Black ☐ Gray Granite ☐ White Granite
☐ Navy Blue ☐ Hunter Green ☐ Antique Copper

☐ 60 Watt Halogen Bulb in lieu of Standard Display Light

☐ No Bulbs

☐ Extra Lamps - Installed (max. two per ft. less one - one per ft. is standard)

Extended Power (Electrical) Leads

- ☐ 1'-5' (305-1525 mm) ☐ 6'-10' (1829-3048 mm)
☐ 11'-15' (3352-4572 mm) ☐ 16'-20' (4877-6096 mm)

Accessories

ChefLED bulb 120V

- ☐ 2700K Warm Light ☐ 3000K Warm Light ☐ 4000K Cool Light

†Non-standard color are non-returnable



ANSI/NSF 4



HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A.

(800) 558-0607 | (414) 671-6350 | www.hatcocorp.com | support@hatcocorp.com | intlsales@hatcocorp.com




Glo-Ray® Infrared Designer Dual Aluminum Strip Heaters with Lights

Models: GR2AL -18D, -24D, -30D, -36D, -42D, -48D, -54D, -60D, -66D, -72D, -84D

GR2AHL-18D, -24D, -30D, -36D, -42D, -48D, -54D, -60D, -66D, -72D, -84D

GR2AL-D and GR2AHL-D



SPECIFICATIONS

Glo-Ray® Infrared Designer Aluminum Strip Heaters with Lights

Dimensions (without Non-Adjustable Stands)

21.5" - 87.5" W x 18.0"-21.0" D x 3.5" H (546 - 2223 mm x 455-533 mm x 89 mm)

Standard Watt				High Watt				Both Models	
Model	Volts single phase	Watt	Amps	Model	Volts single phase	Watt	Amps	Width	Ship Weight [°]
GR2AL-18D	120	620	5.2	GR2AHL-18D	120	820	6.8	21.5" (546 mm)	28 lbs. (13 kg)
	120/208		3.4		120/208		4.4		
	120/240		3.1		120/240		3.9		
GR2AL-24D	120	820	6.8	GR2AHL-24D	120	1120	9.3	27.5" (699 mm)	32 lbs. (15 kg.)
	120/208		4.4		120/208		5.8		
	120/240		3.9		120/240		5.2		
GR2AL-30D	120	1020	8.5	GR2AHL-30D	120	1440	12.0	33.5" (851 mm)	35 lbs. (16 kg.)
	208		5.3		208		7.4		
	240		4.8		240		6.5		
GR2AL-36D	120	1330	11.1	GR2AHL-36D	120	1780	14.8	39.5" (1003 mm)	40 lbs. (19 kg.)
	120/208		7.0		120/208		9.2		
	120/240		6.3		120/240		8.2		
GR2AL-42D	120	1530	12.8	GR2AHL-42D	120*	2080	17.3	45.5" (1156 mm)	46 lbs. (21 kg.)
	120/208		8.0		120/208		10.6		
	120/240		7.1		120/240		9.4		
GR2AL-48D	120	1840	15.3	GR2AHL-48D	120*	2440	20.3	51.5" (1308 mm)	47 lbs. (22 kg.)
	120/208		9.7		120/208		12.6		
	120/240		8.7		120/240		11.2		
GR2AL-54D	120*	2090	17.4	GR2AHL-54D	120*	2740	22.8	57.5" (1460 mm)	50 lbs. (21 kg.)
	120/208		10.9		120/208		14.0		
	120/240		9.7		120/240		12.4		
GR2AL-60D	120*	2400	20	GR2AHL-60D	120*	3100	25.8	63.5" (1613 mm)	55 lbs. (25 kg.)
	120/208		12.6		120/208		16.0		
	120/240		11.3		120/240		14.2		
GR2AL-66D	120*	2620	21.8	GR2AHL-66D ■	120*	3420	28.5	69.5" (1765 mm)	67 lbs. (31 kg.)
	120/208		13.7		120/208		17.5		
	120/240		12.2		120/240		15.5		
GR2AL-72D	120*	2910	24.3	GR2AHL-72D ■	120*	3810	31.8	75.5" (1918 mm)	75 lbs. (35 kg.)
	120/208		15.3		120/208		19.6		
	120/240		13.6		120/240		17.4		
GR2AL-84D ■	120*	3420	28.5	GR2AHL-84D	-	4520	-	87.5" (2223 mm)	82 lbs. (38 kg.)
	120/208		17.9		120/208		23.2		
	120/240		16.0		120/240		20.6		

* Must order with an RMB2 for Canada.

° Shipping weight includes packaging, and does not include RMB (Remote Box), must order an RMB.

■ 120 volt models with infinite controls not available.

NOTE: Units rated for 120/208 or 120/240 volt are manufactured with a 120 volt circuit for the incandescent lights and a 208 or 240 volt circuit for the heating element(s).

HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A.

(800) 558-0607 | (414) 671-6350 | www.hatcocorp.com | support@hatcocorp.com | intlsales@hatcocorp.com



Glo-Ray® Infrared *Designer* Dual Aluminum Strip Heaters with Lights

Models: GR2AL -18D, -24D, -30D, -36D, -42D, -48D, -54D, -60D, -66D, -72D, -84D

GR2AHL-18D, -24D, -30D, -36D, -42D, -48D, -54D, -60D, -66D, -72D, -84D

SWITCH LOCATION

Remote only

TOGGLE SWITCH

Amps: Max. 15 amps

INFINITE SWITCH

Max. 12.2 amps

LEADS

5' (1524 mm) through 1/2" conduit in Stand cavity is standard

ELEMENT HEIGHT REQUIREMENTS

(Refer to the Installation section of the Manual on the Hatco website)

With 3" (76 mm) or 6" (152 mm) Spacer

Standard Watt

Height: 10"-14" (254-356 mm)

Target Width: 18" (457 mm)

High Watt

Height: 14"-18" (356-457 mm)

Target Width: 24" (610 mm)

REMOTE CONTROL ENCLOSURES

Must order one RMB control box per Strip Heater - If RMB2 is used, multiple warmers can be controlled from one box. For more details, see "Choose Remote Box" section listed under "Resources" on the Hatco website, www.hatcocorp.com

Model (Series)	Width	Switches
RMB-3	6" (150 mm)	2 toggles
RMB-7	9.375" (239 mm)	2 toggles with indicator lights or 1 toggle, 1 infinite and indicator light
RMB-14	14.375" (366 mm)	2 Infinities with pilot lights

PRODUCT SPECS

Designer Infrared *Designer* Dual Aluminum Foodwarmer with Lights

The Infrared *Designer* Dual Aluminum Foodwarmer with Lights shall be a Glo-Ray®, manufactured by the Hatco Corporation, Milwaukee, WI 53234 U.S.A. The foodwarmer shall be a Glo-Ray model ... , rated at ... watts, ... volts, single phase and be ... inches (millimeters) in overall width. The Glo-Ray shall consist of an aluminum housing and include as standard equipment 14" (356 mm) *Designer* Stands. The infrared heating element shall be tubular metal sheathed. The foodwarmer shall be factory assembled ready for electrical installation.

Options shall include *Designer* Color Housing, *Designer* Color Inset Panel, *Designer* non-adjustable Stands in various sizes (available in *Designer* Colors), Overhead Mounts (available in *Designer* Colors), dark gray *Designer* corner caps, Sneeze Guards, no Control, Halogen Bulb(s), no Bulbs, Extra Lamps, Extended Electrical Power Leads. 24/7 service in U.S. and Canada only.

HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A.

(800) 558-0607 | (414) 671-6350 | www.hatcocorp.com | support@hatcocorp.com | intlsales@hatcocorp.com