

PRODUCT CATALOG PRICE LIST

- Toaster • Steamer • Contact Grill
- Holding Bin • Refrigerator • Timer
- Slicer & Cutter • Dispenser • Grill Tool
- Miscellaneous Smallware



TABLE OF CONTENTS

TOASTER

Vertical Contact Toaster	2
Contact Grill	3
Batch Bun Toaster	3
Rapid Steamer	4
Radiant Batch Toaster	4

HOLDING BIN

Dedicated Holding Bin	5
-----------------------------	---

TIMER

Single Function Timer	6
Multi-Display Timers	6
Multi-Function Timer	6

REFRIGERATOR

Milk Refrigerator/Dispenser	7
Tabletop Refrigerated Pan Station	8
Refrigerated Prep Rail	8

SLICER AND CUTTER

Tomato Saber	9
Bagel Saber	10
Lettuce Kuttlet	10
Citrus Saber	10

DISPENSERS

Heavy Sauce Dispenser	11
Ketchup/Mustard Dispenser	11

GRILL TOOLS

Grill Scraper	12
Grill Wiper	12
Scrambled Egg Form	12
Egg Form	12

MISC. SMALLWARE

Fry Scoop	13
Fry Basket	13

PRICE LIST	14
CUSTOMER SERVICE	15
PRODUCT ORDERING	15
SERVICE AND PARTS	15
ASIA DISTRIBUTOR	15

TOASTERS



SLIM-LINE VERTICAL CONTACT TOASTER

DIMENSION:		ELECTRICAL:	
Length	635mm	Volts	220
Width	205.3mm	Hz	50
Height	665.9mm	Watts	1770

- A cost saving toaster with LESS power usage and NO belt replacement cost
- Heating light to indicate when toaster is ready for use
- Adjustable platen temperature up to 304°C / 580°F
- Stepless adjustable bun crush controls for various bread products
- Two level platen design allows operator to toast crowns and heels at the same time
- Designed with a capacity of 750 buns per hour at a 16 seconds toast time
- Value added kits available – Air Flapper, Heat Shield and Heated Landing Zone.

MODEL :

297-E16	Slim-line Vertical Contact Toaster (Metal Conveyor)
297-W16	Slim-line Vertical Contact Toaster (Wire Conveyor)



297-011 Air Flapper



297-010 Heated Landing Zone



297-012 Heat Shield

DUAL CONTINUOUS FEED TOASTER



DCFT-BKCE

DIMENSION:		ELECTRICAL:	
Length	550mm	Volts	200~240
Width	215mm	Hz	50/60
Height	600mm		

- Adjustable toasting time from 8-20 seconds
- Adjustable platen temperature for precise toasting – up to 550°F
- Durable stainless steel conveyor belt designed to last lifetime , reduce overall cost of operation
- Versatile dual-lane design allows crown and heel be toasted same time
- Energy saving toaster by eliminating the additional heater
- Smaller footprint

VERTICAL BATCH BUN TOASTER



TX230-EBKCE15C

DIMENSION:		ELECTRICAL:	
Length	336 mm	Volts	208~240
Width	464mm	Hz	50/60
Height	619mm	Watts	2600~3100

- Designed for "barrel-run toasting," high-power performance ensures 15-second toasting
- Silicon coated, Teflon infused belt prevents chain markings on bun top side
- Adjustable platen temperature for precise toasting
- Teflon sheets prevent sticking and easy to clean





CONTACT GRILL

- Separated upper & lower heated platen consistently cook a variety of products from top and bottom
- Incorporated an audible alarm to supervise and remind operators to check or remove products
- Electronic , programmable timers to track product grill times
- Cleaning mode designed,Grease drawer accessible from front
- Durable stainless steel construction and heavy duty platens ensure long life and reliability

MODEL	DESCRIPTION	DIMENSION			ELECTRICAL		
		Length	Width	Height	Volts	Hz	Watts
CG14-2TF	Contact Grill, Flat Platen	419mm	566mm	284mm	240	50/60	2600
CG14G-2TF	Contact Grill, Groove Platen	419mm	566mm	284mm	240	50/60	2600
CG8-1TP	Contact Grill, Single Lid	565.4mm	314mm	347.3mm	240	50/60	1300



247-SLCF



BATCH BUN TOASTER

- The Prince Castle Batch Bun Toaster is designed to perfectly caramelize large quantities of buns easily and quickly.
- This toaster ensures uniform heat throughout the bun,and seals its surface against saturation by condiments
- Adjustable thermostat provides precise toasting for all types of bread products.
- Adjustable bun thickness controls
- Stainless steel and aluminum construction
- Durable nickel-plated heating platen provides uniform heat

MODEL	DESCRIPTION	DIMENSION			ELECTRICAL		
		Length	Width	Height	Volts	Hz	Watts
212-AC	Batch Bun Toaster	698mm	406mm	295mm	240	160	2500
247-SLCF	Batch Toaster, Single Platen, Front CB	640mm	410mm	223mm	240	160	1700

TOASTERS



RAPID STEAMER

DIMENSION:

Length 358mm
 Width 419mm
 Height 226mm

ELECTRICAL:

Volts 240
 Hz 50/60
 Watts 3450

625-AC

- Quickly steams a variety of products in under 10 seconds
- Digital Control ensures accurate steaming and simple operation
- Flexibly designed to accommodate menu expansion
- Minimal condensation on surface. Minimal steam discharged



RADIANT BATCH TOASTER

DIMENSION:

Length 457.2mm
 Width 352.8mm
 Height 177.8mm

ELECTRICAL:

Volts 208-240
 Hz 50/60
 Watts 3030-4030

464-B

- Versatile multi-channel, radiant-style, single-chamber toaster
- Programmable toast times to perfectly toast 12 different products
- Front loading and toasts up to 3 buns at a time
- Simple controls visually display the time left in active toast cycle and the end of cycle. An adjustable audible alarm also signals end of toast cycle





DEDICATED HOLDING BINS

- Improved food quality, no drying out of products while maintaining required internal temperatures.
- Consistent product holding temperatures with extended holding time capability
- Easy point of use product access with reduced/limited heat loss.
- No hinged doors to access product deliver a smaller overall footprint, less space required.
- Improved control of product usage, reducing overall food waste.
- Increased menu variety/expansion with flexible, built-in holding options.
- Versatility to hold complete breakfast, lunch and dinner menu items.
- Independent, dedicated pans eliminate product flavor transfer from one section to another.
- Design allows easy access for operation, cleaning and maintenance.

MODEL	DESCRIPTION	DIMENSION			ELECTRICAL		
		Length	Width	Height	Volts	Hz	Watts
DHB2SS-20C	Dedicated Holding Bin 2*2 Single Side	500mm	358mm	282mm	220-240	50	1550
DHB2PT-20C	Dedicated Holding Bin 2*2 Pass Through	500mm	358mm	282mm	220-240	50	1550
DHB2SS-33C	Dedicated Holding Bin 2*4 Single Side	843mm	358mm	282mm	220-240	50	2500
DHB2PT-33C	Dedicated Holding Bin 2*4 Pass Through	843mm	358mm	282mm	220-240	50	2500
DHB2PT-27BCE	Dedicated Holding Bin 2*3 Pass Through	691mm	358mm	282mm	220-240	50	1880
DHB4PT-20BCE	Dedicated Holding Bin 4*2 Pass Through	500mm	358mm	523mm	220-240	50	1900

TIMER

Prince Castle’s family of single-function, multi-function and multi-display timers offer operators a wide range of superior choices in timing systems. Prince Castle timers can be used to support consistent execution/management of a variety of tasks, including frying, grilling, baking, broiling, coffee-making and even employee handwashing.

TIMERS

Prince Castle’s Timer is the perfect choice for a wide range of foodservice application. Standard features of the new timer family include:

- “Traffic signal” indicator lights
- “Hidden access” programming button
- Improves food safety and maintains proper product consistency and quality
- Slim design allows timer to be mounted anywhere
- Adjustable alarm indicates end of cycle
- Customized appearance and pre-programmed functions available



MODEL :

741-T8CE	4-Channel Multi-Display Timer
741-T88CE	8-Channel Multi-Display Timer
840-T4CE	4-Channel Multi-Function Timer

SKBD3LS

DIMENSION:		ELECTRICAL:	
Width	460mm	Volts	220
Length	690mm	Hz	60
Height	910mm		

- Accurate portion control milk dispense to ensure taste consistency & reduce dairy waste significantly
- User-friendly touch screen operation panel
- 3 separate milk container to support multiple menu
- Top brand compressor and thermostat used to ensure refrigerator runs between 2-6°C
- Extremely energy saving and low noise, stable & reliable

MODEL :

SKBD3LS **Milk Dispenser w/ sensor**



SK4L2-220C

DIMENSION:		ELECTRICAL:	
Width	305mm	Volts	220
Length	426mm	Hz	60
Height	737mm	Watts	138

- Stainless Steel structure with electronic thermostat and direct cooling system
- Two set of 4L milk containers are equipped in the dispenser with pipe connected to spring load dispensing valve
- Top brand compressor and thermostat used to ensure refrigerator runs between 2-6°C constantly
- Extremely energy saving and low noise, stable & reliable

MODEL :

SK4L2-220C **Milk dispenser w/ container , 2 head**

SK11L-220C

DIMENSION:		ELECTRICAL:	
Width	256mm	Volts	220
Length	555mm	Hz	60
Height	550mm	Watts	80

- Stainless Steel structure with electronic thermostat and direct cooling system
- Milk pipe can be inserted from the pre-designed hole on either left or right side, Work perfectly with coffee machine
- Door open direction adjustable
- Top brand compressor and thermostat used to ensure refrigerator runs between 2-6°C constantly
- Extremely energy saving and low noise, stable & reliable

MODEL :

SK11L-220C **Countertop Milk Refrigerator**



REFRIGERATOR

SKPS3

DIMENSION:

Width 337mm
 Length 232mm
 Height 322mm

ELECTRICAL:

Volts 115
 Hz 60
 Watts 250

- Versatile, compact , extremely efficient
- Table top installation, plug and play with removable pan lids & optional pan lids for topping bottles
- Can fit in three 1/9 pan, two 1/6 pan or one 1/3 pan
- Thermo – electric cooling system to maintain a cool storage environment.
- Environment friendly foamed in place Polyurethane insulation for maximum strength and durability

MODEL :

SKPS3 **Tabletop Refrigerated Pan Station**

* 220V version is available upon request



SKMCD-RR-5

DIMENSION:

Width 1130mm
 Length 330mm
 Height 150mm

ELECTRICAL:

Volts 115
 Hz 60
 Watts 250

- Unit is designed to be easily mounted above working table therefore save counter space.
- Programmable temperature control with digital temperature display located on the front of the unit.
- Hold 5 products / full size pan
- Keep product at 1°C-4°C
- Pan are accessible from both side of the table

MODEL :

SKMCD-RR-5 **Refrigerated Prep Rail**

* 220V version is available upon request





TOMATO SABER 943 SERIES

- New, exclusive, Perma-Tight disposable blade cartridge system eliminates the need for blade tightening or adjusting
- Contoured Tomato Pusher positions tomato as it passes through the blades
- Includes Table Stop and exclusive Tomato Catcher
- Built-in hand guard
- Permanently self-lubricated bearing
- Sturdy cast aluminum, plastic and stainless steel construction
- Easy to maintain - no tools are required
- One-year warranty (excluding blade cartridge)

MODEL

943-A	3/16"(.48CM) Slice Tomato Saber
943-D	7/32"(.55CM) Slice Tomato Saber



Perma-Tight™ Blade Cartridge for Tomato Saber

- Tomato Sabers use patented Perma-Tight™ blade cartridge system
- Once blades become dull, dispose and replace with new blade
- Fixed tension Perma-Tight™ blades never need adjustment - no longer manually tighten blades
- Have a 50 percent longer life compared to other blades

MODEL

943-038A	Blade Cartridge for 943-A Tomato Saber 3/16" (.48cm) Slices
943-041A	Blade Cartridge for 943-D Tomato Saber 7/32" (.55cm) Slices
943-042	Cleaning Brush


SLICERS & CUTTERS

BAGEL SABER

- Individually slices any size bagel perfectly every time
- Stainless steel construction ensures long, reliable service
- Safe and easy for anyone to operate
- Blade can be resharpened or replaced
- A built-in table stop ensures the unit won't budge while in use
- Virtually no clean up-just rinse and wipe, completely submersible

MODEL:

970-A Bagel Saber



OPTIONAL ACCESSORIES

970-034 Replacement Blade Set

970-097 Bagel Tray



LETTUCE KUTLETT

- Produces a uniform size
- Reduces labor cost
- Operates with a simple pull of the handle
- Slices up to 50 heads in five minutes
- Prevents bruising and browning

MODEL:

SKK2 Lettuce Kutlett

CITRUS SABER-CW SERIES

- The Citrus Saber makes slicing simple and safe!
- The economical solution to wedging
- Perfectly sections fruits and vegetables, including lemons, limes and tomatoes
- Much faster and safer than cutting by hand
- Ideal for drinks, salads and garnishes

MODEL:

CW-6 Yellow Color



KETCHUP/MUSTARD DISPENSER



398-CN & 406-AN

MODEL :

398-CN	Mustard Dispenser, Narrow
406-AN	Ketchup Dispenser, Narrow
417-AN	Dual Base, Narrow
417-BN	Single Base, Narrow



- Great for dispensing Mustard & Ketchup sauce
- Capacity 2 lbs (0.91 kg) above refill line
- 5 different portion control available
- Slim / Narrow design use less counter space
- Lightweight plastic shell
- Easy calibration – no tools required
- Include cover with tether attachment to reduce loss and prevents mustard from solidifying
- Easy to clean

HEAVY SAUCE DISPENSER



136-1

OPTIONAL ACCESSORIES



155

MODEL :

580-NMCC	Sauce Dispenser 1/3 oz, red handle
581-NMCC	Sauce Dispenser 1/2 oz, white handle
582-NMCC	Sauce Dispenser 2/3 oz, black handle
583-NMCC	Sauce Dispenser 1 oz, green handle
58L-COLORS	Multi Color Cap Kit
136-1	Dispenser Bottles(Case of 9)
155	Bottle Storage Tray

- Perfect choice for dispensing heavy sauce like tarter, mayonnaise, sour cream or guacamole.
- Precise portion control ensure taste consistency & reduce sauce waste
- 4 model available to dispense from 1/3oz (9.4g) to 1oz (28.3g)
- Color cap to differentiate different type of sauce, color cap replaceable with kit offered
- Optional accessories add versatility
- Easy to clean



GRILL TOOLS



GRILL SCRAPER

- Thoroughly clean hot grill surface
- Blades are easily replaced – no tools needed
- Optimized blade angle design to reduce the possible damage to grill surface and blade
- Easy to clean

MODEL :

613-C	Grill Scraper, ergonomically designed
613-030-6C	Replacement blade (Pack of 6)
161	Mini Grill scraper
161-6HD	Replacement blade (pack of 6)



GRILL WIPER

- Remove excess grease quickly and safely
- FDA approved silicone rubber will not damage Teflon coating or grill surface
- 7 Inch wide wiper is reversible for longer life
- Easy to replace the wiper (no tools needed)
- Withstands temperature of 2320C maximum
- Durable stainless steel wiper holder with comfortable plastic handle
- Easy to clean

MODEL :

233-71A	Grill wiper
233-86	Replacement Wiper (pack of 4)



EGG FORM

- Speeds up the cooking process
- Non-stick coating for easy clean-up
- Ensures perfectly round, attractive eggs
- Promotes portion control and consistent results
- Rings removable from frame for easy cleaning

MODEL :

122-043YC	6 Egg Ring W/Cover
122-4TC	Round Egg Ring Replacement



SCRAMBLED EGG FORM

- Scramble up to 4 individual orders of eggs in under 30 seconds.
- Consistent portion control
- Reduce labor and improve quality of food
- Non-stick egg ring (replaceable)
- Easy grab heat resistant knob
- Easy to clean

MODEL :

804-S4C	Egg Scrambler
804-023	Replacement egg ring, square





FRY SCOOPS

- Scoops make "bagging" a breeze, even for new employees
- Design controls portions and eliminates over bagging
- Broken fries are virtually eliminated, leaving a more desirable product
- Saves time and labor
- Available in aluminum or nylon, and come in right handed, left handed, or dual handed model
- Proven effectiveness -- used in tens of thousands of restaurants

MODEL :

152-ARN	French Fry Scoop Aluminum – Right Handle
252-RH	French Fry Scoop Nylon – Right Handle
252-DH	French Fry Scoop Nylon – Dual Handle



FRY BASKET

STANDARD FEATURES:

- Rugged double nickel-plated construction
- Long reinforced handles for easy, safe holding
- Fit virtually any fryer model

MODEL :

77-P	Basket, Green 13.25(L) X 5.63(W) X 5.67(H) cm
78-P	Basket, 12.125(L) X 6.31(W) X 5.31(H) cm
678-P	Fry Basket, 13.25(L) X 6.5(W) X 5.81(H) cm




PIE FRY BASKET

STANDARD FEATURES:

- Double nickel plating for increased protection against corrosion and scratching
- Strong welding prevents basket from breaking
- Labeled for easy identification
- Baskets is NSF listed

MODEL :

AW-393-TC	Pie Fry Basket 33.97(L) X 9.52(W) X 12.38(H) cm
------------------	--



CUSTOMER SERVICE

Sales Customer Service hours: 8:00 a.m. to 5:00 p.m. GMT+8, Mon - Fri

- Order Inquiry
- Price Quotation
- Product Availability

Cs1-China@princecastle.cn, or Fax (86 21) 6040 1722

PRODUCT ORDERING

To place an order, please provide us with the following:

- Purchase Order Number
- Model Number and Quantity
- Requested Ship Date

Call us at (86 21) 6071 5000

SERVICE AND PARTS

Technical Service and Parts Contact Information:

Call us toll free at (86) 4006 930 990

ASIA DISTRIBUTOR

PRINCE CASTLE DISTRIBUTION CENTER (S) PTE. LTD.

59 Ubi Avenue 1, #06-04 Bizlink Centre, Singapore 408938

Phone: (65) 6547 8478 Fax: (65) 6547 8477

Email: inquiry@fast2supply.com



Prince Castle Shanghai

Building 1, No. 889 Kungang Road, Xiao Kunshan Town

Songjiang District, Shanghai 201614 China

www.princecastle.com

